



Safety Data Sheet acc. to OSHA HCS

Printing date 06/14/2017 1 Identification

· Product identifier

Reviewed on 06/14/2017

	Trade name: <u>CA5215</u> Application of the substance / the mixture Cyanoacrylate Adhesive	
	• Details of the supplier of the safety data sheet • Manufacturer/Supplier: ResinLab, LLC N109 W13300 Ellsworth Drive Germantown, WI 53022 1-877-259-1669 www.resinlab.com	
	 Information Department: Product Safety Department: msds@resinlab.com Emergency Telephone Number: North America - Chemtrec: 1-800-424-9300 (24 hours) International - Chemtrec: 01-703-527-3887 (24 hours) 	
*	2 Hazard(s) identification	
	Classification of the substance or mixture Flam. Liq. 4 H227 Combustible liquid. Eve Dam. 2B H320 Causes eve irritation.	
	 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Not classified Signal word Warning Hazard statements H227 Combustible liquid. H320 Causes eye irritation. Precationary statements Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/tume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eve irritation persists: Get medical advice/attention. If eve off contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. 	
	Health = 1 Fire = 2 Reactivity = 0	
	NFPA special hazards (water reactivity and oxidizing property): None	
	 HMIS System HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 Fire = 2 	
	REACTIVITY 0 Reactivity = 0	
- 1	Desults of DDT and vDvD assessment	

- Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

Chemical characterization: Dangerous components			
e	Beta-Methoxyethyl Cyanoacrylate	Flam. Lig. 4, H227; Eve Dam. 2B, H320	90-100%
CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 RTECS: MX 3500000	1,4-dihydroxybenzene	Muta. 2, H341; Carc. 2, H351 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302; Skin Sens. 1, H317	0.025-<0.1%

US (Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/14/2017

Printing date 06/14/2017

Trade name: CA5215

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

- General information: Keep warm, position comfortably and cover well.
- After inhalation: Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing. Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Do not pull bonded skin apart. Soak in warm soapy water. Gently peel apart using a blunt instrument. If skin is burned due to the rapid generation of heat by a large drop, seek medical attention. If lips are bonded, apply warm water to the lips and encourage wetting and pressure from saliva in mouth. Peel or roll lips apart. Do not pull lips apart with direct opposing force. If skin is occurs, get medical advice/attention.

After eye contact: Immediately flush with plenty of water for at least 15 minutes. Get medical attention. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. Do not force eye open. Cyanoacrylate will bond to eye protein and will cause a lachrymatory effect which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Medical attention should be sought in case solid particles of polymerized cyanoacrylate trapped behind the eyelid caused abrasive damage. After swallowing:

Ensure breathing passages are not obstructed. The product will polymerize rapidly and bond to the mouth making it almost impossible to swallow. Saliva will separate any solidified product in several hours. Prevent the patient from swallowing any separated mass. Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed Check section 11 Toxicological Information for further relevant information.

5 Fire-fighting measures

- Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Alcohol resistant foam

Fire-extinguishing powder Carbon dioxide

For safety reasons unsuitable extinguishing agents: No relevant information. Special hazards arising from the substance or mixture Caution! Combustible liquid.

In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon dioxide (CO₂) and Carbon monoxide (CO) Advice for firefighters

Protective equipment: If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Caution! Combustible liquid; wear fire/flame resistant or retardant clothing during cleaning up. Wear protective clothing.
- Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use. Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Methods and material for containment and cleaning up: Flood area to polymerize material then soak up with an inert absorbant. Ensure adequate ventilation. Dispose contemported metarial to wrote operating to item 12

- Dispose contaminated material as waste according to item 13.

7 Handling and storage

· Handling:

 Precautions for safe handling
 Open and handle receptacle with care.
 Keep away from incompatible material(s).
 Avoid any release into the environment.
 For industrial or professional use only
 Do not breathe dust/fumes/mist/apor/spray. Avoid contact with eyes, skin and clothing. Keep away from heat,sparks, flames and ignition sources. Observe all the personal protection requirements in Section 8.

· Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Provide ventilation for receptacles.

Keep stored in accordance with local, regional, national, and international regulations.

US





Safety Data Sheet acc. to OSHA HCS



Reviewed on 06/14/2017

Printing date 06/14/2017

Trade name: CA5215

(Contd. of page 2)

	osure controls/personal protection
· Cont	rol parameters components with limit values that require monitoring at the workplace:
7	he following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
	t this time, the remaining constituent has no known exposure limits.
	81-9 1,4-dihydroxybenzene
PEL Long-term value: 2 mg/m ³ REL Ceiling limit value: 2* mg/m ³	
*15-min	
TLV	Long-term value: 1 mg/m³ DSEN
	 Additional Occupational Exposure Limit Values for possible hazards during processing: None.
	sure controls
recor	plicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels bel nmended exposure limits.
If exp	osure limits have not been established, maintain airborne levels to an acceptable level.
· P	ersonal protective equipment: General protective and hygienic measures:
	Avoid contact with the eyes.
	Be sure to clean skin thoroughly after work and before breaks.
	· Personal Protective Equipment (PPE)
	Breathing equipment: Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommend
	exposure limits.
	Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situation
	confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air suppl respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.
	· Protection of hands:
	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and var
	from manufacturer to manufacturer.
	db
	Chemical resistant gloves
	· Eye protection:
	(Safety Glasses with side shields
	• Body protection: Appropriate chemical resistant clothing. ation and supervision of exposure into the environment
· Limit	ation and supervision of exposure into the environment Indipering measures or controls, and PPE recommendations are only duidelines and may not apply to every situation. For additio
inform	Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additio nation, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.
0 Dhy	sical and chemical properties
эрпу	sical and chemical properties

General Information Appearance:		
· · Form:	Liquid	
· Color:	Clear	
· Odor: · Odor threshold:	Odorless Not determined.	
· pH-value:	Not determined.	
Change in condition Melting point/Melting Boiling point/Boiling ı	range: Undetermined. range: 74 °C (165 °F)	
· Flash point:	80-93 °C (176-199 °F)	
· Flammability (solid, gase	ous): Not applicable.	
 Ignition temperature: 	Not determined.	
 Decomposition tempe 	rature: Not determined.	
· Auto igniting:	Product is not selfigniting.	
 Danger of explosion: 	Not determined.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	





Safety Data Sheet acc. to OSHA HCS

Printing date 06/14/2017 Trade name: CA5215

Reviewed on 06/14/2017

			(Contd. of page 3)
	 Vapor Density: 	not determined	
	Density at 20 °C (68 °F): Vapor density Evaporation rate	1.06 g/cm³ (8.846 lbs/gal) Not applicable. Not determined.	
	Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
	Viscosity: Dynamic: Kinematic:	Not available. Not available.	

10 Stability and reactivity

· Reactivity Combustible liquid.

- Hazardous Reactivity and Chemical Stability Stable under normal conditions of use, storage and temperatures. Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat. No decomposition if used and stored according to specifications.
 Possibility of hazardous reactions In contact with incompatible materials.
 Conditions to avoid Keep away from heat, sparks, flame and any other ignition sources.

- Incompatible materials:
- Strong reducing agents Oxidizing agents

- Amines Bases (Alkalis)
- Water
- alkali metals If used properly there are no incompatibilities.
- Hazardous decomposition products: Possible in traces.

11 Toxicological information

Information on toxicological effects

- Acute toxicity: LD/LC50 values that are relevant for classification: See acute inhalative effect(s) for further information
 - Specific symptoms in biological assay: No further relevant information available: classification is not possible.
 - See acute inhalative effect(s) for further information.
- See acute innalative effect(s) for further information.
 Primary irritant effect:
 on the skin: No irritant effect.
 on the eye: Irritating effect.
 Sensitization: No sensitizing effects known.
 Additional toxicological information:
 The product shows the following dangers according to internally approved calculation methods for preparations:
 Irritant

Carcinogenic categories

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
 Persistence and degradability No further relevant information available.
 Behavior in environmental systems:
 Bioaccumulative potential No data available.
 Mobility in soil No further relevant information available.
 Additional ecological information: The product is non-rapid degradable.
- Additional ecological information: The product is non-rapid degradable, and low or not highly bioaccumulative. General notes:
- Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Results of PBT and vPvB assessment

 - PBT: None of the ingredients is listed.
- vPvB: None of the ingredients is listed. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

• Recommendation: Must be specially treated adhering to official regulations.

(Contd. on page 5)





Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/14/2017

Printing date 06/14/2017 Trade name: CA5215

(Contd. of page 4)

Uncleaned packagings: Recommendation: Dispose of according to your local waste regulations.

Transport information	
UN-Number DOT, ADN, IMDG IATA	not regulated UN3334
UN proper shipping name DOT, ADN, IMDG IATA	not regulated Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)
· Transport hazard class(es)	
· DOT, ADN, IMDG · Class	not regulated
· Class · Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, IMDG IATA	not regulated III
· Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex II of MARF IBC Code 	POL73/78 and the Not applicable.
· Transport/Additional information:	
IATA Remarks:	Primary packs containing less than 500ml are unregulated this mode of transport and may be shipped unrestricted.
· UN "Model Regulation":	not regulated

15 Regulatory information	
· Safety, health and environmental regulations/legislation specific for the substance or mixture	
• SARA Section 355 (extremely hazardous substances):	
123-31-9 1,4-dihydroxybenzene	
SARA Section 313 (Specific toxic chemical listings):	
123-31-9 1,4-dihydroxybenzene	0.025-<0.1%
SARA Section 311/312 (Hazardous Chemical Inventory Reporting)	
123-31-9 1,4-dihydroxybenzene	A, C 0.025-<0.1%
Hazard Abbreviations for SARA 311/312	
A - Acute Health Hazard	
C - Chronic Health Hazard F - Fire Hazard	
r - rile riazaru R - Reactive Hazard	
S - Sudden Release of Pressure Hazard	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TIV/Threaded Limit Value astablished by ACCIU)	

• TLV (Threshold Limit Value established by ACGIH) 123-31-9 1,4-dihydroxybenzene

(Contd. on page 6)





Safety Data Sheet acc. to OSHA HCS

Printing date 06/14/2017

Reviewed on 06/14/2017

(Contd. of page 5)
NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
· International Regulation Lists
Chinese Chemical Inventory of Existing Chemical Substances:
All ingredients are listed.
GHS label elements GHS label elements
· National regulations:
Japanese Existing and New Chemical Substance List:
All ingredients are listed.
Korean Existing Chemical Inventory:
123-31-9 1,4-dihydroxybenzene
European Pre-registered substances:
All ingredients are listed.
· REACh - Substances of Very High Concern (SVHC) List:
None of the ingredients is listed.
Restriction of Hazardous Substances Directive (RoHS) list:
None of the ingredients is listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department Issuing (M)SDS: Product Development Department Contact: msds@resinlab.com Date of preparation / last revision 06/14/2017 / 1 * The compared to the previous version altered.

US