

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

1 Identification

- **Product identifier**
 - **Trade name:** EP965 Clear B
 - **Application of the substance / the mixture** Epoxy Hardener
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
ResinLab, LLC
N109 W13300 Ellsworth Drive
Germantown, WI 53022
1-877-259-1669
www.resinlab.com
 - **Information Department:** Product Safety Department: msds@resinlab.com
 - **Emergency Telephone Number:**
North America - Chemtrec: 1-800-424-9300 (24 hours)
International - Chemtrec: 01-703-527-3887 (24 hours)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 4 H312 Harmful in contact with skin.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.
- **Label elements**
 - **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms**



GHS05



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
4-Nonylphenol, branched
N-(2-Aminoethyl)piperazine
Fatty acids, C18 unsaturated, dimers, polymers with tall oil fatty acids and triethylenetetramine
Triethylenetetramine
- **Hazard statements**
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves / eye protection / face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If exposed or concerned: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
 - **NFPA System**
 - **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 1
Reactivity = 0

NFPA special hazards (water reactivity and oxidizing property): None

· HMIS System

· HMIS-ratings (scale 0 - 4)



Health = 3
Fire = 1
Reactivity = 0

- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Dangerous components:

CAS: 68082-29-1 NLP: 500-191-5	Fatty acids, C18 unsaturated, dimers, polymers with tall oil fatty acids and triethylenetetramine Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1, H317	40-50%
CAS: 84852-15-3 EINECS: 284-625-5 Index number: 601-053-00-8	4-Nonylphenol, branched Repr. 2, H361 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Chronic 1, H410 Acute Tox. 4, H302	30-40%
CAS: 140-31-8 EINECS: 205-411-0 Index number: 612-105-00-4 RTECS: TK 8050000	N-(2-Aminoethyl)piperazine Acute Tox. 3, H311 Repr. 2, H361; STOT RE 1, H372 Skin Corr. 1B, H314 Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 3, H412	10-20%
CAS: 112-24-3 EINECS: 203-950-6 Index number: 612-059-00-5 RTECS: YE6650000	Triethylenetetramine Skin Corr. 1B, H314 Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412	1-2.5%

· Additional information:

If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

· General information:

Keep warm, position comfortably and cover well.
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing.
Supply fresh air and if symptoms occur call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Flush skin thoroughly. Remove all contaminated clothing and shoes. Continue to rinse skin for 15 minutes. Obtain medical attention if symptoms develop. Wash all contaminated clothing and shoes before reuse.

· After eye contact:

Immediately flush opened eyes with water for 5 minutes, then remove contact lenses if present, continue flushing for at least another 15 minutes.
Get medical attention.

· After swallowing:

If victim is unconscious; never give anything by mouth.
If victim is conscious rinse mouth and give small amounts of water.
Get medical attention

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
Check section 11 Toxicological Information for further relevant information.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

May generate ammonia gas.

Nitrogen oxides

hydrocarbons

nitric acid

Carbon dioxide (CO₂) and Carbon monoxide (CO)

· Advice for firefighters

· Protective equipment:

Mouth respiratory protective device.

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: **EP965 Clear B**

(Contd. of page 2)

Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use.

• **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

• **Methods and material for containment and cleaning up:**

For large spills: provide diking or containment to minimize spreading. If possible pump and store material in appropriate container.
For small spills: Ventilate and wash area. Collect spills and absorbant material in appropriate container.

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent if necessary.

Dispose contaminated material as waste according to item 13.

7 Handling and storage

• **Handling:**

• **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from incompatible material(s).

Avoid any release into the environment.

For industrial or professional use only

Do not breathe dust/fumes/mist/vapor/spray.

Avoid contact with eyes, skin and clothing.

Keep away from heat, sparks, flames and ignition sources.

Observe all the personal protection requirements in Section 8.

• **Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:**

Provide ventilation for receptacles.

Keep stored in accordance with local, regional, national, and international regulations.

8 Exposure controls/personal protection

• **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

84852-15-3 4-Nonylphenol, branched

TEEL-1 Short-term value: 20 mg/m³

TEEL-2 Short-term value: 125 mg/m³

TEEL-3 Short-term value: 500 mg/m³

140-31-8 N-(2-Aminoethyl)piperazine

TEEL-1 Short-term value: 7.5 mg/m³

TEEL-2 Short-term value: 50.0 mg/m³

TEEL-3 Short-term value: 500 mg/m³

112-24-3 Triethylenetetramine

WEEL Long-term value: 6 mg/m³, 1 ppm

Skin

• **Additional Occupational Exposure Limit Values for possible hazards during processing:** None.

• **Exposure controls**

If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

If exposure limits have not been established, maintain airborne levels to an acceptable level.

• **Personal protective equipment:**

• **General protective and hygienic measures:**

Be sure to clean skin thoroughly after work and before breaks.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Pregnant women should avoid direct skin contact with this product.

• **Personal Protective Equipment (PPE)**

• **Breathing equipment:**

Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended exposure limits.

Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

• **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**



Chemical resistant gloves

(Contd. on page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

(Contd. of page 3)

· **Eye protection:**



Safety Glasses with side shields

· **Body protection:** Appropriate chemical resistant clothing.

· **Limitation and supervision of exposure into the environment**

The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Liquid

· **Color:**

Amber colored

· **Odor:**

Amine-like

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/Melting range:**

Undetermined.

· **Boiling point/Boiling range:**

>200 °C (>392 °F)

· **Flash point:**

>100 °C (>212 °F)

· **Flammability (solid, gaseous):**

Not determined.

· **Ignition temperature:**

Not determined.

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Not determined.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Vapor pressure:**

Not determined.

· **Vapor Density:**

not determined

· **Density at 20 °C (68 °F):**

0.97 g/cm³ (8.09 lbs/gal)

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

· **Water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:**

Not available.

· **Kinematic:**

Not available.

· **VOC content:**

0.00 %
0.0 g/l / 0.00 lb/gal

10 Stability and reactivity

· **Reactivity** Not a regulated physical hazard under GHS.

· **Hazardous Reactivity and Chemical Stability** Stable under normal conditions of use, storage and temperatures.

· **Thermal decomposition / conditions to be avoided:**

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications.

· **Possibility of hazardous reactions** Polymerization occurs with mineral acids.

· **Conditions to avoid** Keep away from heat, sparks, flame and any other ignition sources.

· **Incompatible materials:**

acid chlorides, acid anhydrides, hypochlorites

Oxidizing agents

Strong acids

Strong bases

Strong reducing agents

Copper and copper alloys

Nickel

Cobalt

· **Hazardous decomposition products:**

Possible in traces.

Refer to section 5.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

68082-29-1 Fatty acids, C18 unsaturated, dimers, polymers with tall oil fatty acids and triethylenetetramine

Oral LD50 >5,000 mg/kg (Rats and Mice)

Dermal LD50 >2,000 mg/kg (Rats and Mice)

Inhalative LC50/4 h mg/l (No data available)

84852-15-3 4-Nonylphenol, branched

Oral LD50 1,604 mg/kg (rat)

Reference: Vendor SDS (2015)

Dermal LD50 2,031 mg/kg (rabbit)

Vendor SDS 2015

Inhalative LC50/4 h mg/l (mouse) (Non-toxic; LC50 exceeded the saturated vapor value)

140-31-8 N-(2-Aminoethyl)piperazine

Oral LD50 2,140 mg/kg (rat)

Dermal LD50 866 mg/kg (rabbit)

Inhalative LC50/4 h mg/l (rat) (No mortality observed at saturated atmosphere)

112-24-3 Triethylenetetramine

Oral LD50 1,600 mg/kg (mouse)

Dermal LD50 550-805 mg/kg (rabbit)

Inhalative LC50/4 h mg/l (rat) (No death to the saturated vapor for 8hrs)

Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.

- on the eye: Strong caustic effect.

- Sensitization: Sensitization possible through skin contact.

- Experience with humans: Not applicable.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

68082-29-1 Fatty acids, C18 unsaturated, dimers, polymers with tall oil fatty acids and triethylenetetramine

EC50 mg/kg (No data available)

84852-15-3 4-Nonylphenol, branched

EC50 mg/kg (rabbit) (Directive 84/449/EEC B4; Post-exposure: 8 days)

All tested animals showed signs of erythema, edema, and eschar which were not fully reversible within 8 days. Reference: IUCLID Dataset (2000).

140-31-8 N-(2-Aminoethyl)piperazine

EC50 mg/kg (rabbit) (US DOT Corrosivity Assay)

112-24-3 Triethylenetetramine

EC50 mg/kg (rat) (Erythema, edema, and necrosis observed)

- Persistence and degradability No further relevant information available.

- Other information: The product is easily biodegradable.

- Behavior in environmental systems:

- Bioaccumulative potential No data available.

- Mobility in soil No further relevant information available.

- Additional ecological information: The product is non-rapid degradable, and low or not highly bioaccumulative.

General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment

- PBT: None of the ingredients is listed.

- vPvB: None of the ingredients is listed.

- Other adverse effects No further relevant information available.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

(Contd. of page 5)

13 Disposal considerations

• Waste treatment methods

• Recommendation:

Must be specially treated adhering to official regulations.
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• Recommendation: Dispose of according to your local waste regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

• UN-Number

• DOT, IMDG, IATA

UN3267

• UN proper shipping name

• DOT

Corrosive liquid, basic, organic, n.o.s. (4-Nonylphenol, branched, N-Aminoethylpiperazine)

• IMDG

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonylphenol, branched, N-AMINOETHYLPIPERAZINE), MARINE POLLUTANT

• IATA

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonylphenol, branched, N-AMINOETHYLPIPERAZINE)

• Transport hazard class(es)

• DOT



• Class • Label

8 Corrosive substances
 8

• IMDG



• Class • Label

8 Corrosive substances
 8

• IATA



• Class • Label

8 Corrosive substances
 8

• Packing group

• DOT, IMDG, IATA

III

• Environmental hazards:

Product contains environmentally hazardous substances: 4-Nonylphenol, branched

• Special precautions for user

• Danger code (Kemler):

• EMS Number:

• Segregation groups

• Stowage Category

• Stowage Code

• Segregation Code

Warning: Corrosive substances

80

F-A,S-B

Alkalies

A

SW2 Clear of living quarters.

SG35 Stow "separated from" acids.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

• Transport/Additional information:

• DOT

• Quantity limitations

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

• Remarks:

Special marking with the symbol (fish and tree).

• IMDG

• Limited quantities (LQ)

5L

• Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

(Contd. of page 6)

• UN "Model Regulation":

UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-NONYLPHENOL, BRANCHED, N-AMINOETHYLPIPERAZINE), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture

• SARA Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• SARA Section 313 (Specific toxic chemical listings):

84852-15-3	4-Nonylphenol, branched	30-40%
------------	-------------------------	--------

• SARA Section 311/312 (Hazardous Chemical Inventory Reporting)

84852-15-3	4-Nonylphenol, branched	A	30-40%
140-31-8	N-(2-Aminoethyl)piperazine	A, C	10-20%
112-24-3	Triethylenetetramine	A	1-2.5%

• Hazard Abbreviations for SARA 311/312

A - Acute Health Hazard
 C - Chronic Health Hazard
 F - Fire Hazard
 R - Reactive Hazard
 S - Sudden Release of Pressure Hazard

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• International Regulation Lists

• Chinese Chemical Inventory of Existing Chemical Substances:

All ingredients are listed.

• GHS label elements GHS label elements

• National regulations:

• Japanese Existing and New Chemical Substance List:

84852-15-3	4-Nonylphenol, branched
140-31-8	N-(2-Aminoethyl)piperazine
112-24-3	Triethylenetetramine

• Korean Existing Chemical Inventory:

All ingredients are listed.

• European Pre-registered substances:

All ingredients are listed.

• EINECS List:

84852-15-3	4-Nonylphenol, branched
140-31-8	N-(2-Aminoethyl)piperazine
112-24-3	Triethylenetetramine

• ELINCS List:

None of the ingredients is listed.

• REACH - Substances of Very High Concern (SVHC) List:

84852-15-3	4-Nonylphenol, branched	30-40%
------------	-------------------------	--------

• Restriction of Hazardous Substances Directive (RoHS) list:

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/24/2017

Reviewed on 10/24/2017

Trade name: EP965 Clear B

(Contd. of page 7)

- **Department Issuing (M)SDS:** Product Development Department
- **Contact:** msds@resinlab.com
- **Date of preparation / last revision** 10/24/2017 / 7
- *** Data compared to the previous version altered.**

US