

Printing date 08/16/2017 Reviewed on 08/16/2017

1 Identification

- · Product identifier

 - Trade name: EP1218 Clear A

 Application of the substance / the mixture Epoxy Resin
- Details of the supplier of the safety data sheet Manufacturer/Supplier:

ResinLab, LLC
N109 W13300 Ellsworth Drive
Germantown, WI 53022
1-877-259-1669

Information Department: Product Safety Department: msds@resinlab.com
Information Department: Product Safety Department: msds@resinlab.com
Emergency Telephone Number:
North America - Chemtrec: 1-800-424-9300 (24 hours)
International - Chemtrec: 01-703-527-3887 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
 - GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 - · Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labeling:

Bisphenol-A-(epichlorohydrin) epoxy resin Alkyl (C12, C14) glycidyl ether

Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF ON SKIN: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents (container in accordance with local/regional/national/international regulations).

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
 NFPA System
 NFPA ratings (scale 0 4)



Health = 2*Fire* = 1 Reactivity = 0

NFPA special hazards (water reactivity and oxidizing property): None

HMIS System HMIS-ratings (scale 0 - 4)



Health = 2Fire = Reactivity = 0

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

· vPvB: Not applicable.





Printing date 08/16/2017 Reviewed on 08/16/2017

Trade name: EP1218 Clear A

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Dangerous components:			
	70-80%		
NLP: 500-033-5 Aquatic Chronic 2, H411 Index number: 603-074-00-8 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317			
Index number: 603-074-00-8 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317			
	20-30%		
EINECS: 271-846-8 Skin İrrit. 2, H315; Eye İrrit. 2A, H319; Skin Sens. 1, H317			
Index number: 603-103-00-4			

Additional information:
 If the chemical name/CAS number is proprietary and or weight percentage is listed as a range, the specific chemical identity and or percentage of composition has been withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

General information: Keep warm, position comfortably and cover well.

After inhalation:

Remove victim from exposure to fresh air. Keep person at rest. Provide oxygen if person is not breathing. Supply fresh air and if symptoms occur call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Wash contaminated clothing and shoes before reuse.

If skin rash or irritation occurs, seek medical advice.

After eye contact:

Immediately flush opened eyes with water for 5 minutes, then remove contact lenses if present, continue flushing for at least another 15 minutes

If symptoms develop seek medical attention.

After swallowing:

If victim is unconscious; never give anything by mouth.
If victim is conscious, rinse out mouth and give two glasses of water.
Get medical attention if you feel unwell.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed
 Check section 11 Toxicological Information for further relevant information.

5 Fire-fighting measures

Extinguishing media
 Suitable extinguishing agents:
 Use fire fighting measures that suit the environment.

Carbon dioxide

Carpon gloxide
water fog
Fire-extinguishing powder
Alcohol resistant foam
For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture Will not burn unless preheated. In case of fire, the following can be released:

Aldehydes
Phenolic compounds
Carbon dioxide (CO₂) and Carbon monoxide (CO)
Advice for firefighters

Protective equipment:

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA fire brigades standard (29 CFR 1910.156).

As with any fire, wear positive-pressure self-contained breathing apparatus and full protective gear that are NIOSH approved.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

wear protective clothing.
Do not breathe gas, vapors, dusts or mists if their inhalable particles occur during use.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

For large spills: provide diking or containment to minimize spreading. If possible pump and store material in appropriate container.

For small spills: Ventilate and wash area. Collect spills and absorbant material in appropriate container.

Ensure adequate ventilation.

Allow moten product to cool.

Allow molten product to cool.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.



Printing date 08/16/2017 Reviewed on 08/16/2017

Trade name: EP1218 Clear A

(Contd. of page 2)

7 Handling and storage

· Handling:

Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

Reep away from incompatible material(s).
Avoid any release into the environment.
For industrial or professional use only
Do not breathe dust/fumes/mist/vapor/spray.

Avoid contact with eyes, skin and clothing. Keep away from heat,sparks, flames and ignition sources. Observe all the personal protection requirements in Section 8.

· Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:
Provide ventilation for receptacles.
Keep stored in accordance with local, regional, national, and international regulations.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional Occupational Exposure Limit Values for possible hazards during processing: None.

Exposure controls
If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment:

General protective and hygienic measures:

Be sure to clean skin thoroughly after work and before breaks.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Personal Protective Equipment (PPE)

Breathing equipment:
Sufficient ventilation in pattern and volume should be provided in order to maintain air contaminant levels below recommended

exposure limits.
Use a NIOSH approved air-purifying organic vapor respirator if occupational limits are exceeded. For emergency situations, confined space use, or other conditions where exposure limits may be greatly exceeded, use an approved air supplied respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

respirator. Observe OSHA regulations (29CFR 1910.134) for respirator use.

Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves



Chemical resistant gloves

Eye protection:



Safety Glasses with side shields

Body protection: Appropriate chemical resistant clothing.
 Limitation and supervision of exposure into the environment
 The Engineering measures or controls, and PPE recommendations are only guidelines and may not apply to every situation. For additional information, please consult the corresponding requirements under OSHA 29 CFR 1910.94-95, and 29 CFR 1910.132-138.

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information

· Appearance:

Form: Liquid Clear Color: Odor: Mild epoxy odor Odor threshold: Not determined.

· pH-value: Not determined.

Change in condition
Melting point/Melting range: Undetermined.

(Contd. on page 4)



Printing date 08/16/2017 Reviewed on 08/16/2017

Trade name: EP1218 Clear A

		(Contd. of page 3)
· Boiling point/Boiling range:	Undetermined.	
· Flash point:	>154°C (°F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure: · Vapor Density:	Not determined. not determined	
Density at 20°C (68°F): Relative density Vapor density Evaporation rate	1.09 g/cm³ (lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity: · Dynamic: · Kinematic: · VOC content:	Not available. Not available. 0.00 % 0.0 g/l / 0.00 lb/gl	

10 Stability and reactivity

- · Reactivity Not a regulated physical hazard under GHS.
 - Hazardous Reactivity and Chemical Stability May polymerize in contact with sodium hydroxide. Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions In contact with incompatible materials.

- Conditions to avoid Keep away from heat, sparks, flame and any other ignition sources. Incompatible materials:

Oxidizing agents Mercaptans

Acids Amines

Bases (Alkalis)

- Hazardous decomposition products:
- Possible in traces
- Refer to section 5.
- Additional information:
- As long as the prescribed application concentrations are maintained there is no danger that stable emulsions will form.

11 Toxicological information

- · Information on toxicological effects

 - Acute toxicity:

 LD/LC50 values that are relevant for classification:

 Not a classified acute oral hazard.

25068-38-6 Bisphenol-A-(epichlorohydrin) epoxy resin

LD50 >5,000 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

68609-97-2 Alkyl (C12, C14) glycidyl ether

Oral LD50 19,200 mg/kg (rat) Dermal LD50 >4,500 mg/kg (rabbit)

- Specific symptoms in biological assay: Not a classified acute dermal hazard.
 Primary irritant effect: Not a classified acute inhalative hazard.
 on the skin: Irritant to skin and mucous membranes.

• on the skin. Intalitie of the control of the eye: Irritating effect.
• Sensitization: Sensitization possible through skin contact.

Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)



Printing date 08/16/2017 Reviewed on 08/16/2017

Trade name: EP1218 Clear A

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Other information: The product is easily biodegradable.

Behavior in environmental systems:

Bioaccumulative potential No data available.
Mobility in soil No further relevant information available.

Additional ecological information: The product is non-rapid degradable, and low or not highly bioaccumulative.
General notes:

Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment

PBT: None of the ingredients is listed.
vPvB: None of the ingredients is listed.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation:

Must be specially treated adhering to official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:
 Recommendation: Dispose of according to your local waste regulations.

4 Transport information	
· UN-Number · DOT · IMDG, IATA	not regulated UN3082
· UN proper shipping name · DOT · IMDG	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Bisphenol-A-(epichlorohydrin) epoxy resin), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Bisphenol-A-(epichlorohydrin) epoxy resin)
· Transport hazard class(es)	
· DOT · Class	not regulated
IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT · IMDG, IATA	not regulated III
Environmental hazards:	Product contains environmentally hazardous substances: Bisphenol A-(epichlorohydrin) epoxy resin
· Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
· Transport in bulk according to Annex II of MARP IBC Code	OL73/78 and the Not applicable.
· Transport/Additional information:	
· DOT · Remarks:	NOT REGULATED IN PACKAGES OF 5L OR LESS. Ships non hazardous in packages less than 5L.
· IMDG · Limited quantities (LQ)	5L
	(Contd. on page 6



Printing date 08/16/2017 Reviewed on 08/16/2017

Trade name: EP1218 Clear A

(Contd. of page 5)

· Excepted quantities (EQ)

Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (BISPHENOL-A-(EPICHLOROHYDRIN) EPOXY RESIN), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · SARA Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· SARA Section 311/312 (Hazardous Chemical Inventory Reporting)

25068-38-6 Bisphenol-A-(epichlorohydrin) epoxy resin

A, C 70-80%

- · Hazard Abbreviations for SARA 311/312 A - Acute Health Hazard C - Chronic Health Hazard F - Fire Hazard
- Fire Hazard

- R Reactive Hazard S Sudden Release of Pressure Hazard
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
 - · Proposition 65
 - · Chemicals known to cause cancer:
- 106-89-8 1-chloro-2,3-epoxypropane
 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:
- 106-89-8 1-chloro-2,3-epoxypropane
 - · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
 - · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · International Regulation Lists
 - · Chinese Chemical Inventory of Existing Chemical Substances:

All ingredients are listed.

- GHS label elements GHS label elements
- · National regulations:
 - Japanese Existing and New Chemical Substance List:

All ingredients are listed.

· Korean Existing Chemical Inventory:

All ingredients are listed.

European Pre-registered substances:

All ingredients are listed.

- · EINECS List:
- 68609-97-2 Alkyl (C12, C14) glycidyl ether
 - · ELINCS List:

None of the ingredients is listed.

REACh - Substances of Very High Concern (SVHC) List:

None of the ingredients is listed.

Restriction of Hazardous Substances Directive (RoHS) list:

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department Issuing (M)SDS: Product Development Department
- Contact: msds@resinlab.com
 Date of preparation / last revision 08/16/2017 / 5
 * Data compared to the previous version altered.